Intelligent Security and Fire

Customer Weekly Self-Assessment Checklist



Reduce your chances of Fire and Theft with our self-assessment checklist

138 Ryefield Avenue Uxbridge UB10 9DA

T: 01895 200 200
E: enquiries@intelligentsecurity.org
W: intelligentsecurity.org

FIRE SAFETY IN THE WORKPLACE

Under the Regulatory Reform (Fire Safety) Order 2005 and British Standards, Every fire system should be managed by a responsible Person. This person is responsible for the weekly testing of the system and the management of the maintenance carried out by the fire alarm company.



YOUR DETAILS	SECURITY INSPECTION
Company name:	A security inspection should be performed once per week by the property manager (or authorised representative). Below is a checklist of Points you should consider
Name:	
Date:	weekly when inspecting your fire and security systems.
Site location	
INTRUDER ALARMS	FIRE ALARMS
Ensure your detectors are unobstructed	Ensure your panel is fault free with no system fault lights
Check the detectors are clean/dirt free	Test all call points on-site in rotation
Ensure all door and window locks work	Ensure each call point is checked for signs of damage
Make sure there is no equipment inside and outside the building that would provide intruders with access to windows/flat roofs	Make sure the alarm sounds clearly from each call point
Ensure all user fobs and codes work correctly	Record the test in your logbook, noting any issues
Confirm your key holder details are correct	ACCESS CONTROL
Check system user logs for events	Check all locks are secured safely
ALARM MONITORING	Ensure doors still open and close properly with their door closers
Ensure your dedicated alarm receiving centre is live and working	Make sure all fobs work correctly
© ССТV	IMPORTANT NOTE

It's important to remember that regular servicing and Check that your cameras NVR/DVR recording maintenance must be carried out by a competent remains in place technician. At Intelligent Security and Fire we have the Ensure cameras view correct areas Qualifications and Experience to help you meet your Make sure external detectors are unobstructed fire safety Duties, whilst ensuring compliance to the and dirt free relevant standards.